



 **MISUTONIDA**  
 **italian style**  
**accessories 4x4**

*E.A.S. Energy Absorber Systems  
Accessories for Off Road Cars*



**SUZUKI**





# *Grand Vitara*





# FRONT PROTECTIONS

**MISUTONIDA**  
italian style  
accessories **4x4**



**EC/SB/168/IX**

EC APPROVED Super Bar Ø 76 mm



**EC/MED/K/168/IX**

EC APPROVED Medium Bar Ø 63 mm



**SB/168/IX**

Super Bar Ø 76 mm



**MED/K/168/IX**

Medium Bar Ø 63 mm



**MA/K/168/IX**

High Medium Bar Ø 63 mm



**SLF/168/IX**

Slash Bar Ø 76 mm

# SIDE PROTECTIONS

**MISUTONIDA**  
italian style accessories **4x4**



**P/169/IX**

Sidesteps Ø 50 mm (3 doors version)



**P/168/IX**

Sidesteps Ø 50 mm (5 doors version)



**GP/169/IX**

Grand Pedana Ø 76 mm (3 doors version)



**GP/168/IX**

Grand Pedana Ø 76 mm (5 doors version)



**GPO/169/IX**

Oval Grand Pedana (3 doors version)



**GPO/168/IX**

Oval Grand Pedana (5 doors version)

# REAR PROTECTIONS

**MISUTONIDA**  
italian style  
accessories **4x4**



## PP1/169/IX

Rear Protection Ø 76 mm (3 doors version)



## PP1/168/IX

Rear Protection Ø 76 mm (5 doors version)







*Jimny*





## **EC/MED/K/177/IX**

EC APPROVED Mediumr Bar Ø 63 mm  
Diesel and Petrol versions



## **SMAL/K/172/IX**

Small Bar Ø 50 mm (Petrol version)  
Also available for the Diesel version

## **SMAL/K/177/IX**



## **MED/K/172/IX**

Medium Bar Ø 63 mm (Petrol version)  
Also available for the Diesel version

## **MED/K/177/IX**



# SIDE PROTECTIONS

**MISUTONIDA**  
italian style accessories **4x4**



**P/89/IX**  
Sidesteps Ø 50 mm



**TPS/89/IX**  
Side Protection Ø 63 mm







**PP1/172/IX**

Rear Protection Ø 63 mm





***SX4***





## FRONT PROTECTIONS

 **MISUTONIDA**  
italian style accessories **4x4**



**MED/K/180/IX**  
Medium Bar Ø 63 mm

## SIDE PROTECTIONS

 **MISUTONIDA**  
italian style accessories **4x4**



**TPS/180/IX**  
Side Protection Ø 63 mm



**TPSO/180/IX**  
Oval Side Protection

# REAR PROTECTIONS

**MISUTONIDA**  
italian style  
accessories **4x4**



**PP1/180/IX**

Rear Protection Ø 63 mm

